



For Immediate Release

Contact: Cosimo Aquaro
+39 347 5719935
cosimo.aquaro@carrier.com

Beretta Launches MYNUTE E: New Range of Wall-Hung Condensing Boilers Ideal for Replacements

LEGNAGO, Italy, XX Xxxxxx, 2020 — Beretta is pleased to present MYNUTE E, the new range of wall-hung condensing boilers, developed as an ideal choice for boiler replacements. Beretta, a part of [Riello](#) Group, a leader in products and services for heating, air conditioning and energy efficiency, is a part of Carrier Global Corporation (NYSE: CARR), a leading global provider of innovative heating, ventilating and air conditioning (HVAC), refrigeration, fire, security and building automation technologies.

The new range of MYNUTE E condensing boilers is available in three models, two 25 kW and one 32 kW model, all configured to combine heating and domestic hot water. One of the 25 kW versions uses a sequence of Beretta standard hydraulic connections, and the other uses DIN standards. This feature makes replacement activity in existing systems even easier.

The compact size, common to all models, and a rich series of accessories make MYNUTE E easy to install in a variety of places. This includes inside homes, outside in partially protected places, or recessed.

The class A range combustion efficiency, ease of use and maintenance and excellent comfort, both in heating and sanitary, complete the profile of this product. In perfect harmony with the MYNUTE Beretta tradition, the range will be appreciated for its reliability and functionality.

The new layout allows for easy periodic maintenance and cleaning of the combustion chamber. The primary aluminum exchanger guarantees efficiency and reliability over time. The sanitary exchanger has been increased to offer excellent sanitary performances in respect of the Mynute tradition.

The MYNUTE E range is equipped with a user-friendly control panel, which communicates with the user through a modern backlit LCD display, with scrolling icons and texts, making simple and intuitive management possible, with easy access to the settings and parameterizations of the boiler and system.

MYNUTE E has a 1: 5 modulation range and a low consumption modulating circulator ($EEI \leq 0,20$). The new range was created for natural gas operation as standard, with the possibility of converting it to LPG (G31) and propane-air through the accessory kit. The 25 kW model is also C(10) approved with external claps available as an accessory.

The boiler is a HYBRID READY product offering, meaning it includes the new hybrid technology system conceived and developed in the Beretta Research Laboratories. This system, created to respond to the needs of integration and governance of the various energy sources (gas / electricity / renewables), also includes innovative energy storage and distribution methods.

MYNUTE E is compatible with all the functions of BESMART, the Beretta WiFi comfort control that allows, through an easy-to-use app, to control and manage domestic comfort anywhere, even outside the home.

MYNUTE It is the ideal choice for boiler replacement.

For more information see <http://www.berettaclima.it>

About Riello Group

Founded in 1922, Riello Group is a leader in products and services for heating, air-conditioning and energy efficiency. Headquartered in Legnago (Verona), Italy, Riello operates in over 120 countries. Riello is a part of Carrier Global Corporation, a leading global provider of innovative HVAC, refrigeration, fire, security and building automation technologies.

For more information, visit www.riello.com



Mynute E, front view